

# CHLORONIL- 75% WP

FUNGICIDE  
WETTABLE POWDER

VAPCO

Class:  
Chloronitrile

A non-systemic fungicide, protective and curative to control many fungal diseases.

**COMPOSITION:** Each kg contains:

**CHLOROTHALONIL**

**75% W/W (A.I)**

**PROPERTIES:**

**CHLORONIL-75% WP:** Non-systemic fungicide, an excellent protection fungicide against many fungal diseases alone or as a part of controlling programme.

**CHLORONIL-75% WP:** Non- systemic fungicide with protective and curative action.

**USES AND APPLICATION RATE:**

CROP	DISEASE	APPLICATION RATE	APPLICATION TIME	APPLICATION INTERVAL	SAFETY PERIOD (DAYS)
Potatoes	Late blight, early blight, root rot, downy mildew.	30-40 gm/20 lt water	To obtain best results, it is advisable to spray at the beginning of season as protective spray. Don't wait until symptoms of disease appear.	Repeat spraying each 7 – 10 days. At severe infection repeat spraying at shorter interval & increase the dosage.	15
Tomatoes	Late blight, anthracnose, septoria spot, brown rot.	30-40 gm/20 lt water			14
Cereals	Rusts, blights.	2-3 kg/ha			15

**CAUTION:**

Used only on the above mentioned crops and follow the recommended safety period before harvest.

**RE-ENTRY PERIOD:**

48 hour from last application.

**COMPATIBILITY:**

Compatible with most pesticides, compatibility test is recommended before spraying, and is not advisable to mix with foliar fertilizers.

• For more details about first aid & precautions please refer to first aid & precautions index.