

# HERBSTAR-25% EC

HERBICIDE  
EMULSIFIABLE CONCENTRATE

VAPCO

Class:  
N-Phenyloxadiazolone

A selective, pre-emergence herbicide for controlling many annual grasses and broadleaf weeds.

**COMPOSITION:** Each Liter contains:

**OXADIAZON**

**25% W/V (A.I)**

**PROPERTIES:**

**HERBSTAR-25% EC:** A selective, pre-emergence herbicide used to control many annual grasses and broadleaf weeds.

**HERBSTAR-25% EC:** One application provides season-long control of weeds.

**HERBSTAR-25% EC:** It dose not affected by heat and light or volatilize and will remain on the soil surface for long periods.

**USES AND APPLICATION RATE :**

CROP	WEEDS	TIME OF APPLICATION	APPLICATION RATE
Onions	Broadleaf weeds such as: Crown daisy, Viscum, Nettle, Wild mustard, Naked launaea, Galium and	Spray early when the plants 15 cm tall (after 3 leaf stage) or after 20-30 days from transplanting, or spray immediately after seeding.	200 - 300 ml / donum depends on weeds density.
Garlic	Annual grasses such as : Shepherd's purse, Aleppo Spurge, Wild oat, Bristly foxtail	Pre-emergence of weeds.	
Broadbeans, grapes, apricot, peach, plum, cherry, apple, pear and ornamentals		Pre-emergence of weeds.	

Donum = 1000 m<sup>2</sup>

**CAUTION:** Used only on the above mentioned crops and follow the recommended re-entry period and grazing restrictions.

• For more details about first aid & precautions please refer to first aid & precautions index.

**REMARKS:**

- Calibration of sprayer is important before application.
- Avoid hoeing the soil immediately after treatment.
- The soil must be wetted at the time of spraying to increase it's effectiveness.
- **HERBSTAR-25% EC** doesn't control weeds that propagate by bulb's or rhizomes.
- No residues will be left on onions during harvest.
- It's only affected by contact.

**GRAZING RESTRICTIONS:**

Do not graze or feed animals from treated area and put up a sign that the field is sprayed for 24 hours from the last application.

**RE-ENTRY PERIOD:**

24 hours from the last application.

\* **OTHER TRADE NAME: ROOTAGE-25% EC.**

- For more details about first aid & precautions please refer to first aid & precautions index.