

# VAPCOZIN-20% EC

ACARICIDE / INSECTICIDE  
EMULSIFIABLE CONCENTRATE

VAPCO

Class:  
Formamidin

**Non systemic Acaricide and Insecticide used against all stages of mites and insects in a wide range of crops.**

**COMPOSITION:** Each liter contains:

**AMITRAZ**

**20% W/V (A.I)**

**PROPERTIES:**

**VAPCOZIN-20% EC:** Is an acaricide and insecticide effective against a wide range of mites and insects with low toxicity to mammals.

**VAPCOZIN-20% EC:** Controls all stages of mites (egg, nymph and adult) which became resistant to other pesticides therefore decrease the number of treatments.

**USES AND APPLICATION RATE :**

CROP	PESTS	APPLICATION RATE / 20 LT. WATER	TIME OF APPLICATION	SAFETY PERIOD (DAYS)
Peach	Red Spider Mites	20 - 40 ml	When about 60 - 80% of overwintering eggs hatch or at the appearance of two insects or mites/leaf.	21
Apple, Pears	Red Spider Mites.	20 - 40 ml	When about 60 - 80% of overwintering eggs hatch or at the appearance of two insects or mites/leaf.	21
	Psylla	40 - 50 ml		
Eggplant And Pepper,	Rust Mites	30 - 50 ml	When symptoms appear. repeat spraying when needed, every two or three weeks.	7
Lemon, Orange, Grapefruit, Pomelo, Mandarin	Two-spotted Mite	10 - 50 ml	When a rate of two mites appear per one leaf	14
	Citrus Red Mite	6 - 50 ml		
	Citrus Rust Mite	10 - 50 ml		

• For more details about first aid & precautions please refer to first aid & precautions index.

**CAUTION:**

Used only on the above mentioned crops and follow the recommended safety period before harvest.

**RE-ENTRY PERIOD:**

24 Hours from last application.

**COMPATIBILITY:**

Incompatible with alkaline materials and parathion, and other pesticides.

• For more details about first aid & precautions please refer to first aid & precautions index.