

AGRINATE-25% WP

INSECTICIDE
WETTABLE POWDER

VAPCO

Class:
Oxime Carbamate

Systemic insecticide used to control a wide range of insect pests which attack agricultural crops.

COMPOSITION: Each kg contains:

METHOMYL

25% W/W (A.I)

PROPERTIES:

AGRINATE-25% WP: has a fast knockdown on a wide range of insects.

AGRINATE-25% WP: Has a broad spectrum activity against a wide range of insects at all developing stages (eggs, larvae).

AGRINATE-25% WP: Is extremely active against the most difficult insect pests such as borer, fruit worm, leafminer which have become resistant to Pyrethroid and Organophosphorus compounds.

AGRINATE-25% WP: Quickly decompose in nature, which decreases the safety period for vegetables and fruit trees.

AGRINATE-25% WP: Has no effect to the environment due to its rapid decomposition.

USES AND APPLICATION RATE:

CROP	PESTS	APPLICATION RATE	SAFETY PERIOD (DAYS)
Tomatoes	Fruitworm, Leafworm	- 1 - 2 bags/drum - 18 - 36 gm/20 lt.	7
Cabbage. Cauliflower	Green worms, Leafworm, Aphids, Thrips.	- 1 - 2 bags/drum - 18 - 36 gm/20 lt.	7
Cucumber, Squash, Watermelon, Beans, Jew's mallow, Pepper, Eggplant, Potatoes.	Leafworm, Aphids, Thrips.	- 2 bags/drum - 36 gm/20 lt.	7
Corn	Cutworm, Corn Borer, Aphids, Beetles.	- 2 bags/drum - 36 gm/20 lt.	7
Apples, Pear, Peach, Apricot, Cherries, Almonds and Citrus	Green and Black aphids, Leafminer, Stem Borer, Psylla, Leafroller, Thrips, Leafhopper.	- 2 bags/drum - 36 gm/20 lt.	14
Grapes	Grape berry moth, Leafhopper.	- 2 bags/drum - 36 gm/20 lt.	7
Ornamentals (Open Field, Green Houses)	Leafworm, Bugs, Aphids, Thrips, Leafhopper, leafminer, leaf rollers	- 2 bags/drum - 36 gm/20 lt.	--

Drum = 200 lt. of water.

Bag = 200 gm of **AGRINATE-25% WP**

• For more details about first aid & precautions please refer to first aid & precautions index.

CAUTION:

Used only on above mentioned crops and follow the recommended safety period before harvest.

RE-ENTRY PERIOD:

72 hours from last application.

REMARKS:

- Use ground sprayers with low volume pressure, use for large farms and it is not recommended for use in gardens.
- Fill 1/4 or 1/2 of the spray tank with water, then add the recommended dose of **AGRINATE-25% WP**, stir, fill the tank and start spraying.
- Use the recommended dose at the beginning of infestation, repeat spraying 5 - 7 days intervals.
- In case there is more than one dose recommended, use the lower dosage for young crops or when the injury is slight.

COMPATIBILITY:

Compatible with most common insecticides and fungicides, but compatibility test is recommended before spraying.

• For more details about first aid & precautions please refer to first aid & precautions index.