

AGRINATE-90% SP

INSECTICIDE
SOLUBLE POWDER

VAPCO

Class:
Oxime Carbamate

Systemic insecticide with a contact and stomach action used to control a wide range of insect pests which attack agricultural crops.

COMPOSITION: Each kg contains:

METHOMYL

90% W/W (A.I)

PROPERTIES:

AGRINATE-90% SP: Has a broad-spectrum activity against a wide range of insects at all developing stages (eggs, larvae).

AGRINATE-90% SP: Quickly decomposes in nature, which decreases the safety period for vegetables and fruit trees.

AGRINATE-90% WP: Packed in water soluble sachets.

AGRINATE-90% WP: Has a fast knockdown on a wide range of insects.

AGRINATE-90% WP: Has no effect to the environment due to it's rapid decomposition.

USES AND APPLICATION RATE:

CROP	PESTS	APPLICATION RATE	SAFETY PERIOD (DAYS)
Tomatoes	Fruitworm, Leafworm	1 bag / drum	7
Cabbage, Cauliflower	Green Worms, Leafworm.	1 bag / drum	7
Cucumber, Squash	Leafworm, Aphids, Thrips.	1 bag / drum	7
Watermelon, Beans, Jew's mallow, Pepper, Eggplant, Potatoes			10
Apples, Pear, Peach, Apricot, Cherries, Almonds	Aphids, Leafminer.	1 bag / drum	14
Grapes	Grape Berry moth, Leafhopper.	1 bag / drum	7

Drum = 200 lt. of water.

bag = 100gm of AGRINATE-90% SP

CAUTION:

Used only on above mentioned crops and follow the recommended safety period before harvest.

• For more details about first aid & precautions please refer to first aid & precautions index.

RE-ENTRY PERIOD:

72 hours from last application.

REMARKS:

- Use ground sprayers with low volume pressure, and use for large farms and it is not recommended for use in gardens.
- Fill 1/4 or 1/2 of the spray tank with water, then add the recommended dose of **AGRINATE-90% SP**, stir, fill the tank and start spraying.
- Use the recommended dose at the beginning of infestation, repeat spraying 5-7 days intervals.
- In case there is more than one dose recommended, use the lower dosage for young crops or when the injury is slight.

COMPATIBILITY:

Compatible with most common insecticides and fungicides, but compatibility test is recommended before spraying. .

*** OTHER TRADE NAMES:**

LAMENATE – 90% SP, METHOMIL – 90% SP, CONCORD – 90% SP.

- For more details about first aid & precautions please refer to first aid & precautions index.