

DIACARB-15% SC

INSECTICIDE
SUSPENSION CONCENTRATE

VAPCO

Class:
Oxadiazine

Insecticide with contact and ingestion activity for the control of Lepidoptera insects on crops mentioned in the table of uses.

COMPOSITION: Each litre contains:

INDOXACARB
(DPX-KN128)

15% W/V (A.I)

PROPERTIES:

DIACARB-15% SC: Indoxacarb, the active ingredient belongs to a new class of insecticide chemistry known as oxadiazines to control insects on crops mentioned in the table of uses.

DIACARB-15% SC: Has a strong adhesive properties on the plant surface, therefore it is not affected by rain.

DIACARB-15% SC: Used for IPM programs.

USES AND APPLICATION RATE:

CROP	PESTS	APPLICATION RATE ML/20 LT.	SAFETY PERIOD (DAYS)
Cruciferous (Cabbage, Cauliflower, Broccoli, Turnip)	Cabbage butterfly	5	3
Tomato, Eggplant, Pepper, Cucumber, Watermelon, Squash.	Tomato fruitworm, Leafminer	5	3
Grape	Grape berry moth, Leafhoppers.	5	14
Peach, Apple, Pear, Apricot	Apple codling moth	5	20
Potato	Potato tuber moth, Cutworm	5	3

CAUTION:

- Used only on above mentioned crops and follow the recommended safety period before harvest.
- Moderately toxic to bees (preferable to use at early morning or late night)

RE-ENTRY PERIOD:

48 hours from last application.

COMPATIBILITY:

Compatible with most common used pesticides, but it's recommended to make compatibility test before sparying.

* **OTHER TRADE NAME: INDOGREEN-15% SC**

- For more details about first aid & precautions please refer to first aid & precautions index.