DIAZINON-60% EC

INSECTICIDE EMULSIFIABLE CONCENTRATE



Non-systemic insecticide with contact, stomach and respiratory action.

COMPOSITION: Each liter contains:

DIAZINON 60% W/V (A.I)

PROPERTIES:

DIAZINON-60% EC: Non-systemic organophosphorus insecticide.

DIAZINON-60% EC: Control a wide range of insects like aphid, scale insects, leafhoppers and

mites.

USES AND APPLICATION RATE:

CROP	DISEASES	APPLICATION RATE ML / 20 LT. WATER	APPLICATION METHOD	SAFETY PERIOD (DAYS)
Peach, Almond, Apricote, Plum, Pear, Apple, Grape.	Aphids, Fruit fly, Scale insects. Codling moth.	20 - 30	Spray trees in non flowering stage	15 14
Ornamentals	Aphids, Beetles, Thrips, Leafhoppers, Mite, Whitefly.	15 - 25		

CAUTION:

Used only on above mentioned crops and follow the recommended safety period before harvest.

RE-ENTRY PERIOD:

48 hours from last application.

COMPATIBILITY:

Compatible with most pesticides, but incompatible with copper compounds and compatibility test is recommended before 24 hours from spraying.

^{*} OTHER TRADE NAME: VAZINON - 60% EC

[·] For more details about first aid & precautions please refer to first aid & precautions index.