# **RANNAN-10% WDG**

## PUBLIC HEALTH INSECTICIDE WATER DISPERSIBLE GRANULES



Fly bait for the reduction of housefly (*Musca domestica*) populations contain sex attractant material.

**COMPOSITION:** Each kg contains:

THIAMETHOXAM 10% W/W (A.I) Z-9 TRICOSENE 0.05 % W/W (S

0.05 % W/W (SEX ATTRACTANT)

PROPERTIES:

RANNAN-10% WDG: Is a highly effective public health insecticide used to control housefly

(Musca domestica), a water dispersible granules form

RANNAN-10% WDG: Easy to use suitable for application by paint-on or spot-spraying by

following the recommended application dose in the table of uses.

RANNAN-10% WDG: Effective and special combination contain thiamethoxam as an active ingredient with both contact and stomach modes of action and contain

sex attractant that makes houseflies to remain in treated areas and

consume a fatal dose of the bait.

#### **USES AND APPICATION RATE:**

TYPE OF APPLICATION	APPLICATION DOSE	
	100 GM	400 GM
PAINT-ON	Mix 100 gm from RANNAN-10% WDG in 80 ml water until the mixture becomes paintable. This mixture is enough for 40 m² groung area or 120 m² wall surface Treated at least 10 places of about 10-30 cm in places where files congregate	Mix 400 gm from RANNAN-10% WDG in 320 ml water until the mixture becomes paintable. This mixture is enough for 160 m² groung area or 480 m² wall surface Treated at least 10 places of about 10-30 cm in places where files congregate
SPOT-SPRAY	Mix 100 gm from RANNAN-10% WDG in 800 ml water for 20 m² groung area or 40 – 60 m² wall surface in or cielling surface in places where flies congregat	Mix 400 gm from RANNAN-10% WDG in 3200 ml water for 80 m² groung area or 160 – 240 m² wall surface in or cielling surface in places where flies congregat

### CAUTION:

- Fill tank with water then add RANNAN-10% WDG and agitate each 30 minutes.
- Use directly after mixing.
- Do not treat dirty or newly white washed walls with RANNAN-10% WDG.
- Do not apply on metal and glass surfaces to avoid run-off.
- Toxic to bees, do not apply near to plant during blooming stage or near where bees are present.
- Stir occasionally during application. Re-agitate before use if spraying is interrupted for longer than 30 minutes.

#### RE ENTRY PERIOD:

Do not enter the treated area until the pesticide is dried

• For more details about first aid & precautions please refer to first aid & precautions index.