

# SUPERTAK-10% EC

**INSECTICIDE  
EMULSIFIABLE CONCENTRATE**

**VAPCO**

Class:  
**Pyrethroid**

**Highly effective Pyrethroidal insecticide with a contact and stomach action which controls a wide range of pests attack agricultural crops.**

**COMPOSITION:** Each liter contains:

**ALPHA-CYPERMETHRIN**

**10% W/V (A.I)**

**PROPERTIES:**

**SUPERTAK-10% EC:** Highly effective Pyrethroidal insecticide which controls a wide range of pests attack agricultural crops.

**SUPERTAK-10% EC:** Economic pesticide effective at a lower dose.

**SUPERTAK-10% EC:** Non-phytotoxic if used as recommended.

**SUPERTAK-10% EC:** Non-systemic insecticide, with contact and stomach action.

**SUPERTAK-10% EC:** Control insects which become resistant to other insecticides.

**SUPERTAK-10% EC:** Can be used as protective spray since it has a long residual effect.

**USES AND APPLICATION RATE:**

<b>CROP</b>	<b>PESTS</b>	<b>APPLICATION RATE ML / 20 L WATER</b>	<b>SAFETY PERIOD (DAYS)</b>
Cabbage	Cabbage white butterflies	3.5 - 6	14
Apple, pear, peach, cherries, apricot	Aphids	6	7
Grape	Grape berry moth, leafhoppers		

**CAUTION:**

Used only on above mentioned crops and follow the recommended safety period before harvest.

**RE-ENTRY PERIOD:**

48 hours after last application.

**COMPATIBILITY:**

Compatible with most common pesticides except highly acidic and alkaline compounds, but compatibility test is recommended before 24 hours from spraying.

**\* OTHER TRADE NAME: VAPTAK**

• For more details about first aid & precautions please refer to first aid & precautions index.