# VAP-MALATHION 57% EC.

# INSECTICIDE EMULSIFIABLE CONCENTRATE



Non-systemic insecticide with a wide spectrum of uses in agricultural crop.

**COMPOSITION:** Each liter contains:

MALATHION 57% W/V (A.I)

PROPERTIES:

VAP-MALATHION 57% EC: Non-systemic organophosphorus insecticide used to control a wide

range of insects.

#### **USES AND APPLICATION RATE:**

| CROP   | PESTS  | APPLICATION<br>RATE ML<br>/ 20 LT. WATER | SAFETY<br>PERIOD<br>(DAYS) |
|--|--|--|----------------------------|
| Beans, Cabbage,<br>Cauliflower, Eggplant,<br>Peas, Pepper, Carrote,<br>Radish, Tomatoes, Onions,<br>Cucumber, Melons,<br>Squash. | Aphid, Leafworms, Cutworms.                          | 22 - 26                                  | 7                          |
| Apples, Pear, Peach,<br>Apricots, Plum, Figs,<br>Olives, Pomegranate,<br>Citrus Trees.   | Aphids, Fruit fly, Olive fruit fly, Apple fruitworm. | 26 - 35                                  | 21                         |
| Wheat  | Leaf fly.  | 35 - 44                                  | 21                         |

#### CAUTION:

Used only on above mentioned crops and follow the recommended safety period before harvest.

## PHYTOTOXICITY:

- Non-phytotoxic in general, if used as recommended.
- May cause injured to the cucurbits, bean and ornamentals which planted in glass houses and some apple, pear and grape species.

## **RE-ENTRY PERIOD:**

48 hours from last application.

#### COMPATIBILITY:

Compatible with most pesticides except alkaline materials, but compatibility test is recommended before spraying.

- \* OTHER TRADE NAME: VAPTHION 57% EC.
- · For more details about first aid & precautions please refer to first aid & precautions index.